

Pro-Spray Automotive Finishes VOC Chart

All data contained in this chart represents package V.O.C. (Volatile Organic Compound content). Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "Total Organic Volatiles" entry represents total weight of volatiles (including exempt solvents) per unit volume (including exempt solvents). Water is not included in this calculation. The "Regulatory VOC Less Exempt" represents the weight of volatiles minus water and exempt solvents per unit volume minus water and exempt solvents. (Frequently this entry is referred to as VOC less water and exempts.) The "Actual VOC" entry represents the weight of the volatiles minus water and exempts per unit volume, which includes water and exempt solvents. (Frequently this entry is referred to as VOC, as calculated by Rule 117.1.) Regulatory bodies may ask for one or several of these items. Make sure that you are generating the specific type of data requested. **This chart is revised periodically.** To obtain the most accurate values check for updates on a regular basis.

Code	Description	Formula % solids by weight (non-volatiles)	Density	Weight per gallon	% Exempt Solvent				% Total Exempts Total exempts, water, methyl acetate, acetone, PCBTf.	AP		LE		Actual	
					Acetone	PCBTf	Methyl Acetate	Water		Total (material) VOC, as packaged, everything included		Regulatory (coating) VOC, Weight of volatiles less water & exempt solvent per volume which excludes water and exempts		Actual VOC, weight of volatiles less water and exempts per volume which includes water & exempts	
										g/litre	lbs/gal	g/litre	lbs/gal	g/litre	lbs/gal
					0.79	1.342		1							
MSDS No.14/No.13 - 2 pack primers, thinners & ancillary products															
3023-5	Fade out thinner	0	0.847	7.07	40.5	0	0	0	40.5	847.0	7.07	890.7	7.43	504.0	4.21
3078-5	HS fast thinner	0	0.822	6.86	0	0	0	0	0	822.0	6.86	822.0	6.86	822.0	6.86
3079-5	HS medium thinner	0	0.818	6.83	0	0	0	0	0	818.0	6.83	818.0	6.83	818.0	6.83
3080-5	HS high temp thinner	0	0.821	6.85	0	0	0	0	0	821.0	6.85	821.0	6.85	821.0	6.85
3038-8	Enhancer/accelerator	0.74	0.8811	7.35	0	0	0	0	0	874.6	7.30	874.6	7.30	874.6	7.30
3008-4	Basecoat blender	7.8	0.887	7.40	0	0	0	0	0	817.8	6.82	817.8	6.82	817.8	6.82
3010-4	Edge blender	0	0.955	7.97	0	0	0	0	0	955.0	7.97	955.0	7.97	955.0	7.97
A424	Universal 2 pack 4-1 primer activator	32.46	0.949	7.92	0	0	0	0	0	641.0	5.35	641.0	5.35	641.0	5.35
A300	Gray Primer	69.293	1.494	12.47	0	0	0	0	0	458.8	3.83	458.8	3.83	458.8	3.83
A302	White Primer	62.892	1.351	11.28	0	0	0	0	0	501.3	4.18	501.3	4.18	501.3	4.18
A304	Black Primer	59.346	1.303	10.87	0	0	0	0	0	529.7	4.42	529.7	4.42	529.7	4.42
A500-2,-3	Extra build/ easy sand primer gray	70.46	1.537	12.83	0	0	0	0	0	454.0	3.79	454.0	3.79	454.0	3.79
A502-3	High build easy sand primer white	63.271	1.368	11.417	0	0	0	0	0	502.5	4.19	502.5	4.19	502.5	4.19
A503-2,-3	Extra build/ easy sand primer buff	71.86	1.565	13.06	0	0	0	0	0	440.4	3.67	440.4	3.67	440.4	3.67
A504-3	High build easy sand primer black	58.877	1.321	11.02	0	0	0	0	0	543.2	4.53	543.2	4.53	543.2	4.53
A505	Universal 2 pack 2-1 tintable primer sealer	63.15	1.279	10.67	0	0	0	0	0	471.3	3.93	471.3	3.93	471.3	3.93
A509	2.1 VOC Primer-White	65.49	1.368	11.42	9.7	14.5	0	0	24.2	472.1	3.94	206.1	1.72	141.0	1.18
A510-3,-2	2.1 VOC primer grey	65.49	1.399	11.68	7	13.3	0	0	20.3	482.8	4.03	269.6	2.25	198.8	1.66
A514	Universal chromate free etch primer	35.46	1.012	8.45	0	0	0	0	0	653.1	5.45	653.1	5.45	653.1	5.45
A614	Low VOC Etch Primer	42.8	1.123	9.37	9.1	7.646	0	0	16.746	642.4	5.36	563.2	4.70	454.3	3.79
A616	Low VOC Etch Primer Activator	0	0.946	7.90	40	35.3	0	0	75.3	946.0	7.89	858.5	7.16	233.7	1.95
A515	Universal etch primer	34.61	0.996	8.31	0	0	0	0	0	651.3	5.43	651.3	5.43	651.3	5.43
A516	1-1 Etch primer activator	0	0.844	7.04	0	0	0	0	0	844.0	7.04	844.0	7.04	844.0	7.04
A518-3	Epoxy Primer green/grey	66.4	1.45	12.10	0	0	0	0	0	487.2	4.07	487.2	4.07	487.2	4.07
A520-3	Epoxy Primer activator	30	0.86	7.18	0	0	0	0	0	602.0	5.02	602.0	5.02	602.0	5.02
A530-3,-2	DTM non-iso Primer-Gray	65	1.38	11.52	0	0	0	0	0	483.0	4.03	483.0	4.03	483.0	4.03
A-531-3,-2	DTM non-iso Primer-Black	62.55	1.31	10.93	0	12	0	0	12	490.6	4.09	377.6	3.15	333.4	2.78
A532-3,-2	DTM primer activator	29	0.87	7.26	0	0	0	0	0	617.7	5.15	617.7	5.15	617.7	5.15
A536-3	2.1 VOC DTM Primer-Gray	64.93	1.46	12.19	12.7	12.38	0	0	25.08	512.0	4.27	231.3	1.93	145.9	1.22
A537-3	2.1 VOC DTM Primer- Black	55.74	1.4	11.68	9.7	27.5	0	0	37.2	619.6	5.17	182.6	1.52	98.8	0.82
A-538-3,-2	2.1 VOC DTM Activator	22.9	1.18	9.85	0	65.3	0	0	65.3	909.8	7.59	327.0	2.73	139.2	1.16
A540	2.1 VOC Wet on Wet Sealer for H2O Gray	69.407	1.564	13.05	16	0	0	0	16	478.5	3.99	334.0	2.79	228.2	1.90
A542	Wet on Wet Sealer White	69.324	1.554	12.97	15.25	0	0	0	15.25	476.7	3.98	342.4	2.86	239.7	2.00
A560	Wet on Wet Sealer Grey	69.7	1.622	13.537	0	16.77	0	0	16.77	491.5	4.10	275.2	2.30	219.5	1.83
A562	Wet on Wet Sealer White	69.6	1.62	13.52	0	16.9	0	0	16.9	492.5	4.11	274.8	2.29	218.7	1.82
A618-3	2.1 VOC Epoxy Primer- Gray	68.9	1.49	12.435	6	15.59	0	0	21.59	463.4	3.87	198.5	1.66	141.7	1.18
A619-3	2.1 VOC Epoxy Primer- Black	66.1	1.4	11.684	8.2	15.59	0	0	23.79	474.6	3.96	204.5	1.71	141.5	1.18
A620-3	2.1 VOC Epoxy Activator	15.7	1.19	9.9317	0	78.5	0	0	78.5	1003.2	8.37	227.1	1.90	69.0	0.58
A700	HS extra build/easy sand primer grey	68.84	1.465	12.227	0	0	0	0	0	456.5	3.81	456.5	3.81	456.5	3.81
A702	HS extra build/easy sand primer white	69.01	1.461	12.193	0	0	0	0	0	452.8	3.78	452.8	3.78	452.8	3.78
A704	HS extra build/easy sand primer black	69.15	1.433	11.96	0	0	0	0	0	442.1	3.69	442.1	3.69	442.1	3.69
A706	Black concentrate	66.24	1.159	9.6729	0	0	0	0	0	391.3	3.26	391.3	3.26	391.3	3.26
A707	HS fast wet on wet sealer for H2O grey	68.91	1.365	11.392	0	0	0	0	0	424.4	3.54	424.4	3.54	424.4	3.54
A708	HS fast wet on wet sealer for H2O white	69.33	1.367	11.409	0	0	0	0	0	419.3	3.50	419.3	3.50	419.3	3.50
A709	HS fast wet on wet sealer grey	72.33	1.46	12.185	0	0	0	0	0	404.0	3.37	404.0	3.37	404.0	3.37
A710	HS fast wet on wet sealer white	72.50	1.46	12.185	0	0	0	0	0	401.5	3.35	401.5	3.35	401.5	3.35
ICR-0015	Spirit wipe (USC)	0	0.83	6.93	95	0	0	0	95	830.0	6.93	2185.7	182.38	41.5	0.35
ICR-1401-5	Fade out thinners	0	0.847	7.07	40.5	0	0	0	40.5	847.0	7.07	890.7	7.43	504.0	4.21
ICR-1692-2,-5	HS fast thinner	0	0.822	6.86	0	0	0	0	0	822.0	6.86	822.0	6.86	822.0	6.86
ICR-1693-2,-5	HS medium thinner	0	0.818	6.83	0	0	0	0	0	818.0	6.83	818.0	6.83	818.0	6.83
ICR-1694-2,-5	HS slow thinner	0	0.821	6.85	0	0	0	0	0	821.0	6.85	821.0	6.85	821.0	6.85
ICR-1695-2,-5	HS extra slow thinner	0	0.831	6.94	0	0	0	0	0	831.0	6.93	831.0	6.93	831.0	6.93
ICR-1332-5	Winter thinners	0	0.87	7.26	25	0	0	0	25	870.0	7.26	900.4	7.51	652.5	5.44
COM RT2-2	Retarder	0	0.92	7.68	0	0	0	0	0	920.0	7.68	920.0	7.68	920.0	7.68
COM RT-5	Universal retarder	0	0.968	8.08	0	0	0	0	0	968.0	8.08	968.0	8.08	968.0	8.08
PCR-1762-2,-5	Compliant 2k HS fast thinner	0	0.806	6.73	50	0	0	0	50	806.0	6.73	822.7	6.86	403.0	3.36
PCR-1763-2,-5	Compliant 2k HS medium thinner	0	0.804	6.71	50	0	0	0	50	804.0	6.71	818.5	6.83	402.0	3.35
PCR-1764-2,-5	Compliant 2k HS slow thinner	0	0.805	6.72	50	0	0	0	50	805.0	6.72	820.6	6.85	402.5	3.36
PCR-1770-2,-5	Exempt Thinner	0	1.09	9.10	0	50	50	0	100	1090.0	9.10	0.0	0.00	0.0	0.00
PCR-1172-2,-5	Slow Exempt Thinner	0	1.34	11.18	0	0	100	0	100	1340.0	11.18	0.0	0.00	0.0	0.00
ICR-0014-5	Spirit wipe	0	0.73	6.09	0	0	0	0	0	730.0	6.09	730.0	6.09	730.0	6.09
ICR-1402-5	Spirit wipe - slow	0	0.791	6.60	0	0	0	0	0	791.0	6.60	791.0	6.60	791.0	6.60
ICR-1050-2	Anti-static cleaner for plastics	0	0.863	7.20	0	0	0	0	0	863.0	7.20	863.0	7.20	863.0	7.20
ICR-1333-2	Cleaner for plastics	0	0.874	7.29	0	0	0	0	0	874.0	7.29	874.0	7.29	874.0	7.29
PSX-84	Enhancer/accelerator	5.88	0.937	7.82	0	0	0	0	0	881.9	7.36	881.9	7.36	881.9	7.36
A497	Accelerator	5.98	0.89	7.43	0	0	0	0	0	836.8	6.98	836.8	6.98	836.8	6.98
PRX-FR	Fish eye remover	9.23	0.909	7.59	0	0	0	0	0	825.1	6.88	825.1	6.88	825.1	6.88
R6028-2	Basecoat blender	7.8	0.887	7.40	5	0	0	0	5	817.8	6.82	817.8	6.82	817.8	6.82
R6029	Clearcoat edge blender	0	0.955	7.97	0	0	0	0	0	955.0	7.97	955.0	7.97	955.0	7.97
A524-2	Plastic bumper primer clear (RFU)	3.88	0.87	7.26	2	0	0	0	2	836.2	6.98	837.3	6.99	818.8	6.83
IC-773-2	Air dry 2 component convertor	24.18	0.887	7.40	24	0	0	0	24	672.5	5.61	629.2	5.25	459.6	3.84
PCR-1993	Low VOC Mid Temp Thinner	9	1.201	10.02	9	76.25	0	0	85.25	1092.9	9.12				

Pro-Spray Automotive Finishes VOC Chart

All data contained in this chart represents package V.O.C. (Volatile Organic Compound content). Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "Total Organic Volatiles" entry represents total weight of volatiles (including exempt solvents) per unit volume (including exempt solvents). Water is not included in this calculation. The "Regulatory VOC Less Exempt" represents the weight of volatiles minus water and exempt solvents per unit volume minus water and exempt solvents. (Frequently this entry is referred to as VOC less water and exempts.) The "Actual VOC" entry represents the weight of the volatiles minus water and exempts per unit volume, which includes water and exempt solvents. (Frequently this entry is referred to as VOC, as calculated by Rule 1171.) Regulatory bodies may ask for one or several of these items. Make sure that you are generating the specific type of data requested. **This chart is revised periodically.** To obtain the most accurate values check for updates on a regular basis.

Code	Description	Formula % solids by weight (non-volatiles)	Density	Weight per gallon	% Exempt Solvent				% Total Exempts Total exempts, water, methyl acetate, acetone, PCBTF.	AP		LE		Actual	
					Acetone	PCBTF	Methyl Acetate	Water		Total (material) VOC, as packaged, everything included		Regulatory (coating) VOC, Weight of volatiles less water & exempt solvent per volume which excludes water and exempts		Actual VOC, weight of volatiles less water and exempts per volume which includes water & exempts	
										g/litre	lbs/gal	g/litre	lbs/gal	g/litre	lbs/gal
					0.79	1.342	1					VOC content per volume of coating, less water and exempt compounds	VOC content per volume of material		
PCA-352	3-1 HS Hardner Fast	69.5	1.055	8.80	0	0	0	0	321.8	2.69	321.8	2.69	321.8	2.69	
PCA-351	3-1 HS Hardner Medium	70.21	1.048	8.75	0	0	0	0	312.2	2.61	312.2	2.61	312.2	2.61	
PCA-350	3-1 HS Hardner Slow	70.41	1.041	8.69	0	0	0	0	308.0	2.57	308.0	2.57	308.0	2.57	
PCA-550	Extra Slow Activator	58	1.18	9.85	0	34	0	0	495.6	4.14	134.7	1.12	94.4	0.79	
PCA-551	Slow Activator	50	1.22	10.18	0	44	0	0	610.0	5.09	122.0	1.02	73.2	0.61	
PCA-552	Medium Activator	50	1.25	10.43	0	48	0	0	625.0	5.22	45.2	0.38	25.0	0.21	
PCA-553	Fast Activator	50.63	1.21	10.10	0	44	0	0	597.4	4.98	107.7	0.90	65.0	0.54	
PCA-951	Fast Activator	37.16	1.21	10.10	0	52.72	0	0	52.72	760.4	6.34	233.4	1.95	122.5	1.02
PCA-952	Medium Activator	37.5	1.21	10.10	0	52.5	0	0	52.5	756.3	6.31	229.8	1.92	121.0	1.01
PCA-953	Slow Activator	40	1.21	10.10	0	52.5	0	0	52.5	726.0	6.06	172.3	1.44	90.8	0.76
PMC-3000	Matte Clearcoat	38.99	1.09	9.10	16	30.01	0	0	46.01	665.0	5.55	305.3	2.55	163.5	1.36
PSC-4000	3:1 Rapid Clear	37.11	0.91	7.59	40.64	0	0	0	40.64	572.3	4.78	380.7	3.18	202.5	1.69
PSC-5000	Hyper Clear	28.17	1	8.35	22.22	28.82	0	0	51.04	718.3	5.99	412.5	3.44	207.9	1.73
PSC-8000	H.S Clearcoat	52.11	0.9919	8.28	8.21	0	0	0	8.21	475.0	3.96	438.8	3.66	393.6	3.28
PSC-8500	4.2 VOC HS Clearcoat	44.3	0.93	7.76	22	0	0	0	22	518.0	4.32	422.9	3.53	313.4	2.62
PSC-7000	Hi - Temp Glamour Clearcoat	44.64	0.955	7.97	12.8	0	0	0	12.8	528.7	4.41	480.9	4.01	406.4	3.39
PSC-9000	3-1 Clearcoat 2.1 lb VOC	45.58	0.93	7.76	37.446	0	0	0	37.446	506.1	4.22	282.3	2.36	157.9	1.32
PSC-9100-5,-2	2.1 VOC Glamour Clear	39.51	1.07	8.93	16	30.9	0	0	46.9	647.2	5.40	270.8	2.26	145.4	1.21
PSC-9200-5,-2	2.1 VOC Production Clear	32.51	0.98	8.18	35.34	22.5	0	0	57.84	661.4	5.52	238.0	1.99	94.6	0.79
PSC-9500-5	2.1 VOC Spot Panel Clearcoat	43.73	1.01	8.43	16	22.22	0	0	38.22	568.3	4.74	290.2	2.42	182.3	1.52
PSC-9300-5	2.1 VOC Hyper Clearcoat	32.68	1.07	8.93	17.593	36.143	0	0	53.736	720.3	6.01	306.9	2.56	145.3	1.21
PSC-9800-5	2.1 VOC Glamour Clear	35.38	1.05	8.76	17.5	32.35	0	0	49.85	678.5	5.66	301.5	2.52	155.1	1.29
BCA-200	3.5 VOC Basecoat Activator/Reducer	11	1.22	10.18	0	72.5	15	0	87.5	1085.8	9.06	126.6	1.06	18.3	0.15
BCA-100	Activator for 3.5 VOC Basecoat	30	1.269	10.59	0	68	0	0	68	888.3	7.41	71.1	0.59	25.4	0.21
MSDS No.20 Intermix system															
MB-201-2	Pale white	44.69	1.002	8.36	0	0	0	0	0	554.2	4.62	554.2	4.62	554.2	4.62
MB-203-2	Transparent black	41.89	0.979	8.17	0	0	0	0	0	568.9	4.75	568.9	4.75	568.9	4.75
MB-204-3	Yellow oxide	53.8	1.097	9.16	0	0	0	0	0	506.8	4.23	506.8	4.23	506.8	4.23
MB-205-2	Trace Yellow	48	1.011	8.44	0	0	0	0	0	525.7	4.39	525.7	4.39	525.7	4.39
MB-206-3	Red oxide	54.69	1.099	9.17	0	0	0	0	0	498.0	4.16	498.0	4.16	498.0	4.16
MB-207-2	Russet	48.38	1.008	8.41	0	0	0	0	0	520.3	4.34	520.3	4.34	520.3	4.34
MB-209-2	Deep blue	43.16	0.982	8.20	0	0	0	0	0	558.2	4.66	558.2	4.66	558.2	4.66
MB-215-2	Medium yellow	42.66	0.98	8.18	0	0	0	0	0	561.9	4.69	561.9	4.69	561.9	4.69
MB-219-2	Violet	44.3	0.987	8.24	0	0	0	0	0	549.8	4.59	549.8	4.59	549.8	4.59
MB-224-2	Super red	45.21	1	8.35	0	0	0	0	0	547.9	4.57	547.9	4.57	547.9	4.57
MB-229-3	Blue lake	44.61	1.018	8.50	0	0	0	0	0	563.9	4.71	563.9	4.71	563.9	4.71
MB-231-3	Blue black	44.88	0.988	8.25	0	0	0	0	0	544.6	4.54	544.6	4.54	544.6	4.54
MB-237-2	Tone controller	51.59	1.036	8.65	0	0	0	0	0	501.5	4.18	501.5	4.18	501.5	4.18
MB-240-2	Transoxide red	54.3	1.088	9.08	0	0	0	0	0	497.2	4.15	497.2	4.15	497.2	4.15
MB-251-2	Fast blue	46.24	1.014	8.46	0	0	0	0	0	545.1	4.55	545.1	4.55	545.1	4.55
MB-259-2	Burgundy	41.7	0.98	8.18	0	0	0	0	0	571.3	4.77	571.3	4.77	571.3	4.77
MB-265-2	Wine Red	48.2	1.003	8.37	0	0	0	0	0	519.6	4.34	519.6	4.34	519.6	4.34
MB-272-2	Cyan Blue	38.5	0.993	8.29	0	0	0	0	0	610.7	5.10	610.7	5.10	610.7	5.10
MB-273-2	Bronze Green	45.33	1.003	8.37	0	0	0	0	0	548.3	4.58	548.3	4.58	548.3	4.58
MB-275-2	Strong Maroon	44.41	1.026	8.56	0	0	0	0	0	570.4	4.76	570.4	4.76	570.4	4.76
MB-276-2	Brown	46.26	0.994	8.30	0	0	0	0	0	534.2	4.46	534.2	4.46	534.2	4.46
MB-277-2	Fast Maroon	48.31	1.003	8.37	0	0	0	0	0	518.5	4.33	518.5	4.33	518.5	4.33
MB-278-2	Transoxide Yellow	51.81	1.077	8.99	0	0	0	0	0	519.0	4.33	519.0	4.33	519.0	4.33
MB-279-2	Strong Yellow	43.36	1.023	8.5379	0	0	0	0	0	579.4	4.83	579.4	4.83	579.4	4.83
HB-500-3	Super White	65.52	1.333	11.125	0	0	0	0	0	459.6	3.84	459.6	3.84	459.6	3.84
HB-511-2	Claret	46.1	1.021	8.5212	0	0	0	0	0	550.3	4.59	550.3	4.59	550.3	4.59
HB-512-2	Lagoon Blue	39.7	1.002	8.3626	0	0	0	0	0	604.2	5.04	604.2	5.04	604.2	5.04
HB-520-3	Orange	63.9	1.422	11.868	0	0	0	0	0	513.3	4.28	513.3	4.28	513.3	4.28
HB-523-2	Bright Yellow	67.7	1.558	13.003	0	0	0	0	0	503.2	4.20	503.2	4.20	503.2	4.20
HB-525-2	Sun Yellow	68.1	1.541	12.861	0	0	0	0	0	491.6	4.10	491.6	4.10	491.6	4.10
HB-545-3	Strong Red	52.28	1.035	8.638	0	0	0	0	0	493.9	4.12	493.9	4.12	493.9	4.12
HB-546-2	Black	44.35	1.002	8.3626	0	0	0	0	0	557.6	4.65	557.6	4.65	557.6	4.65
HB-547-2	Jet Black	42.39	1	8.3459	0	0	0	0	0	576.1	4.81	576.1	4.81	576.1	4.81
HB-551-2	Blue Green	47.99	1.051	8.7716	0	0	0	0	0	546.6	4.56	546.6	4.56	546.6	4.56
HB-552-2	Fast Blue	44.64	1.02	8.5128	0	0	0	0	0	564.7	4.71	564.7	4.71	564.7	4.71
HB-570-2	Brilliant Red	49.94	1.018	8.4962	0	0	0	0	0	509.6	4.25	509.6	4.25	509.6	4.25
AB-810-2	Bright Medium Aluminium	34.13	1.005	8.3877	0	0	0	0	0	662.0	5.52	662.0	5.52	662.0	5.52
AB-814-2	Fine Aluminium	31.89	0.983	8.204	0	0	0	0	0	669.5	5.59	669.5	5.59	669.5	5.59
AB-816-3	Medium Aluminium	32.93	0.982	8.1957	0	0	0	0	0	658.6	5.50	658.6	5.50	658.6	5.50
AB-818-3	Medium Coarse Aluminium	33.07	0.99	8.2625	0	0	0	0	0	662.6	5.53	662.6	5.53	662.6	5.53
AB-821-2	Coarse Aluminium	33.11	0.991	8.2708	0	0	0	0	0	662.9	5.53	662.9	5.53	662.9	5.53
AB-832-2	Very Coarse Aluminium	32.22	0.985	8.2207	0	0	0	0	0	667.6	5.57	667.6	5.57	667.6	5.57
AB-838-2	Bright Medium Aluminium	33.88	1.01	8.4294	0	0	0	0	0	667.8	5.57	667.8	5.57	667.8	5.57
AB-841-2	Shining Coarse Aluminium	34.56	1	8.3459	0	0	0	0	0	654.4	5.46	654.4	5.46	654.4	5.46
AB-842-2	Coarse silver dollar aluminium	32.91	0.988	8.2458	0	0	0	0	0	662.8	5.53	662.8	5.53	662.8	5.53
SB-961-2	SLM Fine Aluminium	40.6	0.987	8.2374	0	0	0	0	0	586.3	4.89	586.3	4.89	586.3	4.89
SB-962-2	SLM Medium Aluminium	40.3	0.988	8.2458	0	0	0	0	0	589.8	4.92	589.8	4.92	589.8	4.92
SB-967-2	SLM Coarse Aluminium	40.8	0.994	8.2958	0	0	0	0	0	588.4	4.91	588.4	4.91	588.4	4.91
PB-780-2	Pearl White	33.25	1.016	8.4795	0	0	0	0	0	678.2	5.66	678.2	5.66	678.2	5.66
PB-781-2	Fine Pearl White	31.87	0.996	8.3125	0	0	0	0	0	678.6	5.66	678.6	5.66	678.6	5.66
PB-782-2	Pearl Blue Finer	31.72	0.993	8.2875	0	0	0	0	0	678.0	5.66	678.0	5.66	678.0	5.66
PB-783-2	Red Pearl	31.9	1	8.3459	0	0	0	0	0	681.0	5.68	681.0	5.68	681.0	5.68
PB-784-2	Pearl Gold	33.23	1.01	8.4294	0	0	0	0	0	674.4	5.63	674.4	5.63	674.4	5.63
PB-785-2	Copper Pearl	32.92	1.004	8.3793	0	0	0	0	0	673.5	5.62	673.5	5.62	673.5	5.62
PB-786-2	Pearl White Ultrafine	32.09	1.001	8.3543	0	0	0	0	0	679.8	5.67	679.8	5.67	679.8	5.67
PB-787-2	Pearl Red Fine	31.68	0.995	8.3042	0	0	0	0	0	679.8	5.67	679.8	5.67	679.8	5.67
PB-788-2	Russet Pearl Fine	32.85	1.005	8.3877	0	0	0	0	0	674.9	5.63	674.9	5.63	674.9	5.63
PB-789-2	Pearl Blue Fine	32.97	1.008	8.											

Pro-Spray Automotive Finishes VOC Chart

All data contained in this chart represents package V.O.C. (Volatile Organic Compound content). Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "Total Organic Volatiles" entry represents total weight of volatiles (including exempt solvents) per unit volume (including exempt solvents). Water is not included in this calculation. The "Regulatory VOC Less Exempt" represents the weight of volatiles minus water and exempt solvents per unit volume minus water and exempt solvents. (Frequently this entry is referred to as VOC less water and exempts.) The "Actual VOC" entry represents the weight of the volatiles minus water and exempts per unit volume, which includes water and exempt solvents. (Frequently this entry is referred to as VOC, as calculated by Rule 1171.) Regulating bodies may ask for one or several of these items. Make sure that you are generating the specific type of data requested. **This chart is revised periodically.** To obtain the most accurate values check for updates on a regular basis.

Code	Description	Formula % solids by weight (non-volatiles)	Density	Weight per gallon	% Exempt Solvent				% Total Exempts Total exempts, water, methyl acetate, acetone, PCBTF.	AP		LE		Actual	
					Acetone	PCBTF	Methyl Acetate	Water		Total (material) VOC, as packaged, everything included		Regulatory (coating) VOC, Weight of volatiles less water & exempt solvent per volume which excludes water and exempts		Actual VOC, weight of volatiles less water and exempts per volume which includes water & exempts	
										g/litre	lbs/gal	g/litre	lbs/gal	g/litre	lbs/gal
0.79	1.342	1													
PB-791-2	Pearl Green Medium	33.16	1.009	8.421	0	0	0	0	674.4	5.63	674.4	5.63	674.4	5.63	
PB-792-2	Blue Frost	30.12	0.992	8.2792	0	0	0	0	693.2	5.78	693.2	5.78	693.2	5.78	
PB-793-2	Graphite Flake	30.09	0.966	8.0622	0	0	0	0	675.3	5.64	675.3	5.64	675.3	5.64	
PB-794-2	Gold Flash	33.64	0.995	8.3042	0	0	0	0	660.3	5.51	660.3	5.51	660.3	5.51	
PB-795-2	Orange Aluminium	28.17	0.958	7.9954	0	0	0	0	688.1	5.74	688.1	5.74	688.1	5.74	
PB-796-2	Super Orange Pearl	36.14	1.011	8.4377	0	0	0	0	645.6	5.39	645.6	5.39	645.6	5.39	
PSE-1001-18	Crystal Silver	36.02	1.035	8.638	0	0	0	0	662.2	5.53	662.2	5.53	662.2	5.53	
PSE-1002-18	Sunbeam Gold	35.67	1.034	8.6297	0	0	0	0	665.2	5.55	665.2	5.55	665.2	5.55	
PSE-1003-18	Radiant Red	34.44	1.019	8.5045	0	0	0	0	668.1	5.57	668.1	5.57	668.1	5.57	
PSE-1004-18	Galaxy blue	35.93	1.025	8.5546	0	0	0	0	656.7	5.48	656.7	5.48	656.7	5.48	
PSE-1005-18	Stellar green	35.3	1.027	8.5713	0	0	0	0	664.5	5.54	664.5	5.54	664.5	5.54	
PSE-1006-18	Solaris red	35.56	1.029	8.588	0	0	0	0	663.1	5.53	663.1	5.53	663.1	5.53	
PSE-1007-18	Fireside copper	36.15	1.029	8.588	0	0	0	0	657.0	5.48	657.0	5.48	657.0	5.48	
PSE-1008-20	Cosmic Turquoise	37.8	1.049	8.7549	0	0	0	0	652.5	5.44	652.5	5.44	652.5	5.44	
PSE-1009-20	Amethyst Dream	38.1	1.055	8.805	0	0	0	0	653.0	5.45	653.0	5.45	653.0	5.45	
PSE-1010-20	Viola Fantasy	35.56	1	8.3459	0	0	0	0	644.4	5.38	644.4	5.38	644.4	5.38	
PSE-1011-20	Arctic Fire	34.38	0.998	8.3292	0	0	0	0	654.9	5.46	654.9	5.46	654.9	5.46	
PSE-1012-18	Tropic Sunrise	34.85	1.002	8.3626	0	0	0	0	652.8	5.45	652.8	5.45	652.8	5.45	
PSE-1013-220	Autumn Mystery	34.21	0.998	8.3292	0	0	0	0	656.6	5.48	656.6	5.48	656.6	5.48	
PSE-2001-20	Silver to Green	28.86	0.977	8.154	0	0	0	0	695.0	5.80	695.0	5.80	695.0	5.80	
PSE-3002-20	Gold to Silver	29.3	0.983	8.204	0	0	0	0	695.0	5.80	695.0	5.80	695.0	5.80	
PSE-3003-20	Green to Purple	29.44	0.975	8.1373	0	0	0	0	688.0	5.74	688.0	5.74	688.0	5.74	
PSE-3004-20	Cyan to Purple	30.73	0.986	8.2291	0	0	0	0	683.0	5.70	683.0	5.70	683.0	5.70	
PSE-3005-20	Blue to Red	29.96	0.978	8.1623	0	0	0	0	685.0	5.72	685.0	5.72	685.0	5.72	
PSE-3006-20	Magenta to Gold	30.24	0.982	8.1957	0	0	0	0	685.0	5.72	685.0	5.72	685.0	5.72	
VB-602-2	Bright Maroon	28.79	0.964	8.0455	0	0	0	0	686.5	5.73	686.5	5.73	686.5	5.73	
VB-604-2	Pale Yellow	57.16	1.141	9.5227	0	0	0	0	488.8	4.08	488.8	4.08	488.8	4.08	
VB-605-2	Basecoat Jet Black	25.36	0.972	8.1122	0	0	0	0	725.5	6.05	725.5	6.05	725.5	6.05	
VB-606-2	Orange Red	45.93	1.023	8.5379	0	0	0	0	553.1	4.62	553.1	4.62	553.1	4.62	
VB-610-2	Amber	61.13	1.203	10.04	0	0	0	0	467.6	3.90	467.6	3.90	467.6	3.90	
VB-618-2	Yellow	52.76	1.044	8.7131	0	0	0	0	493.2	4.12	493.2	4.12	493.2	4.12	
VB-619-2	Pure magenta	31.04	0.951	7.937	0	0	0	0	655.8	5.47	655.8	5.47	655.8	5.47	
VB-620-2	Red Violet	46.22	1.016	8.4795	0	0	0	0	546.4	4.56	546.4	4.56	546.4	4.56	
VB-624-2	Speed Red	48.75	1.062	8.8634	0	0	0	0	544.3	4.54	544.3	4.54	544.3	4.54	
400-3	Plus Super White	79	1.462	12.202	0	0	0	0	307.0	2.56	307.0	2.56	307.0	2.56	
SCB-673-3	Single Layer Adjuster	48	0.983	8.204	0	0	0	0	511.2	4.27	511.2	4.27	511.2	4.27	
SCB-408-3	Single Layer Binder	48	0.983	8.204	0	0	0	0	511.2	4.27	511.2	4.27	511.2	4.27	
BCB-005-3	Basecoat Flip Controller	17	0.929	7.7534	0	0	0	0	771.1	6.43	771.1	6.43	771.1	6.43	
BCB-600-3	Basecoat Balancer	26.64	0.951	7.937	0	0	0	0	697.7	5.82	697.7	5.82	697.7	5.82	
BCB-825-3	Basecoat Flip Control	30.13	0.955	7.9704	0	0	0	0	667.3	5.57	667.3	5.57	667.3	5.57	
SCBC-574-3	Solid Color Basecoat Converter	31.8	0.986	8.2291	0	0	0	0	672.5	5.61	672.5	5.61	672.5	5.61	
BCB-35005-3	Low VOC Basecoat Flip Controller	23.7	1.073	8.9552	20	41	0	61	818.7	6.83	409.9	3.42	164.2	1.37	
BCB-35600-3	Low VOC Basecoat Balancer	33.25	1.081	9.0219	18	39.45	0	57.45	721.6	6.02	230.6	1.92	100.5	0.84	
BCB-35825-3	Low VOC Basecoat Flip Control	35.41	1.046	8.7298	22.5	32.3	0	54.8	675.6	5.64	227.4	1.90	102.4	0.85	
SCBC-35574-3	Low VOC Solid Color Basecoat Converter	27.76	1.05	8.7632	8	27.9	0	35.9	758.5	6.33	565.0	4.71	381.6	3.18	
A-380-2	Matting Agent	39.94	1.054	8.7966	0	0	0	0	633.0	5.28	633.0	5.28	633.0	5.28	
P-526-2	Texture Additive Fine	66.94	1.0203	8.5153	0	0	0	0	337.3	2.81	337.3	2.81	337.3	2.81	
P-528-2	Texture Additive Coarse	67.38	1.0299	8.5955	0	0	0	0	336.0	2.80	336.0	2.80	336.0	2.80	
P-2020-2	Plasticizing Additive	54.7	1.015	8.4711	0	0	0	0	459.8	3.84	459.8	3.84	459.8	3.84	
EBB-20-3	Engine Bay Binder	71.6	1.509	12.594	0	0	0	0	428.6	3.58	428.6	3.58	428.6	3.58	
EBA-50-3	Engine Bay Adjuster	63.2	1.279	10.674	0	0	0	0	470.7	3.93	470.7	3.93	470.7	3.93	
CSS-3500-3	Compliant Single Layer Binder	58.59	0.9901	8.2633	16.68	0	0	16.68	410.0	3.42	309.6	2.58	244.9	2.04	
CSS-3510-3	Compliant Single Jet Black	56.52	1.002	8.3626	0	0	0	0	435.7	3.64	435.7	3.64	435.7	3.64	
P-451-2,-3	Basecoat Jet Black	28.21	0.971	8.1039	0	0	0	0	697.1	5.82	697.1	5.82	697.1	5.82	
BC452-2,-3	Basecoat Super Jet Black	37.09	1	8.3459	0	0	0	0	629.1	5.25	629.1	5.25	629.1	5.25	
A350	MS Brilliant white	66.72	1.286	10.733	0	0	0	0	428.0	3.57	428.0	3.57	428.0	3.57	
A351	MS Jet black	51.51	1.005	8.3877	0	0	0	0	487.3	4.07	487.3	4.07	487.3	4.07	
A352	MS Diamond white	65.24	1.244	10.382	0	0	0	0	432.4	3.61	432.4	3.61	432.4	3.61	

Pro-Spray H2O products updated: 08.02.11

AMT-810	BRIGHT MEDIUM ALUMINIUM	17.59	1.03	8.5963	0	0	73.74	73.74	848.8	7.08	371.4	3.10	89.3	0.75
AMT-812	MEDIUM FINE ALUMINIUM	16.14	1.025	8.5546	0	0	75.65	75.65	859.6	7.17	374.9	3.13	84.2	0.70
AMT-814	FINE ALUMINIUM	16.71	1.019	8.5045	0	0	74.16	74.16	848.7	7.08	380.8	3.18	93.0	0.78
AMT-818	MEDIUM COARSE ALUMINIUM	17.14	1.028	8.5796	0	0	74.24	74.24	851.8	7.11	374.2	3.12	88.6	0.74
AMT-821	BRIGHT MEDIUM COARSE ALUMINIUM	17.67	1.031	8.6046	0	0	72.76	72.76	848.8	7.08	394.9	3.30	98.7	0.82
AMT-832	VERY COARSE ALUMINIUM	17.57	1.042	8.6965	0	0	74.25	74.25	858.9	7.17	376.6	3.14	85.2	0.71
AMT-842	BRIGHT COARSE ALUMINIUM	13.87	1.012	8.4461	0	0	77.22	77.22	871.6	7.27	412.6	3.44	90.2	0.75
CST-110	Viola Fantasy	17.72	1.041	8.6881	0	0	74.54	74.54	856.5	7.15	359.6	3.00	80.5	0.67
CST-113	Autumn Mystery	16.74	1.03	8.5963	0	0	75.54	75.537	857.6	7.16	358.5	2.99	79.6	0.66
CFT-301	SILVER/GREEN	19.00	1.04	8.6798	0	0	72.97	72.97	842.5	7.03	346.6	2.89	83.6	0.70
CFT-302	GOLD/SILVER	16.06	1.022	8.5295	0	0	76.27	76.27	857.9	7.16	355.6	2.97	78.4	0.65
CFT-303	GREEN/PURPLE	17.73	1.032	8.613	0	0	74.39	74.39	849.0	7.08	350.1	2.92	81.3	0.68
CFT-304	CYAN/PURPLE	17.63	1.032	8.613	0	0	74.51	74.51	850.1	7.09	351.1	2.93	81.1	0.68
CFT-305	BLUE/RED	16.73	1.026	8.5629	0	0	75.69	75.69	854.4	7.13	348.1	2.90	77.8	0.65
CFT-306	MAGENTA/GOLD	17.03	1.028	8.5796	0	0	75.35	75.35	852.9	7.12	347.5	2.90	78.3	0.65
HFO-100	Fade out additive	11.77	1.003	8.371	0	0	81.20	81.2	884.9	7.38	380.0	3.17	70.5	0.59
HGC-120	H2O Gun cleaner	0.00	0.993	8.2875	0	0	95.81	95.81	993.0	8.29	856.0	7.14	41.6	0.35
HST-500	WHITE	26.79	1.12	9.3474	0	0	66.53	66.53	820.0	6.84	293.6	2.45	74.8	0.62
HST-511	PINK	15.15	1.012	8.4461	0	0	77.87	77.87	858.7	7.17	333.3	2.78	70.6	0.59
HST-512	CYANINE BLUE	9.57	1.011	8.4377	0	0	86.11	86.11	914.2	7.63	337.4	2.82	43.7	0.36
HST-524	SCARLET	13.19	1.01	8.4295	0	0	79.48	79.48	876.8	7.32	375.3	3.13	74.0	0.62
HST-529	RED SHADE BLUE	14.08	1.01	8.4294	0	0	78.93	78.93	867.8	7.24	348.1	2.90	70.6	0.59
HST-546	BLACK	12.46	1.008	8.4127	0	0	80.36	80.36	882.4	7.36	381.0	3.18	72.4	0.60
HST-547	JET BLACK	12.37	1.013	8.4544	0	0	80.42	80.42	887.7	7.41	394.1	3.29	73.0	0.61

Pro-Spray Automotive Finishes VOC Chart

All data contained in this chart represents package V.O.C. (Volatile Organic Compound content). Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "Total Organic Volatiles" entry represents total weight of volatiles (including exempt solvents) per unit volume (including exempt solvents). Water is not included in this calculation. The "Regulatory VOC Less Exempt" represents the weight of volatiles minus water and exempt solvents per unit volume minus water and exempt solvents. (Frequently this entry is referred to as VOC less water and exempts.) The "Actual VOC" entry represents the weight of the volatiles minus water and exempts per unit volume, which includes water and exempt solvents. (Frequently this entry is referred to as VOC, as calculated by Rule 1171.) Regulating bodies may ask for one or several of these items. Make sure that you are generating the specific type of data requested. **This chart is revised periodically.** To obtain the most accurate values check for updates on a regular basis.

Code	Description	Formula % solids by weight (non-volatiles)	Density	Weight per gallon	% Exempt Solvent				% Total Exempts Total exempts, water, methyl acetate, acetone, PCBTf.	AP		LE		Actual	
					Acetone	PCBTf	Methyl Acetate	Water		Total (material) VOC, as packaged, everything included		Regulatory (coating) VOC, Weight of volatiles less water & exempt solvent per volume which excludes water and exempts		Actual VOC, weight of volatiles less water and exempts per volume which includes water & exempts	
										g/litre	lbs/gal	g/litre	lbs/gal	g/litre	lbs/gal
0.79	1.342	1													
HST-551	BLUE SHADE GREEN	16.59	1.016	8.4795	0	0	75.93	75.93	847.4	7.07	332.3	2.77	76.0	0.63	
HST-552	MID BLUE	15.29	1.012	8.4461	0	0	77.66	77.66	857.3	7.15	333.4	2.78	71.4	0.60	
HST-570	BLUE SHADE MAROON	14.15	1.014	8.4628	0	0	79.78	79.78	870.5	7.26	322.2	2.69	61.5	0.51	
HST-571	YELLOW SHADE MAROON	14.22	1.017	8.4878	0	0	80.29	80.29	872.4	7.28	304.4	2.54	55.8	0.47	
HST-573	GREEN SHADE GOLD	12.81	1.017	8.4878	0	0	81.98	81.98	886.7	7.40	318.7	2.66	53.0	0.44	
HST-576	TRANS BROWN	14.02	1.011	8.4377	0	0	79.76	79.76	869.3	7.25	324.8	2.71	62.9	0.52	
HTH-150	H20 Thinner	0.00	0.998	8.3292	0	0	97.31	97.31	998.0	8.33	930.7	7.77	26.8	0.22	
HTH-300	H20 fast thinner for spot repairs	0.00	0.938	7.8285	0	0	74.81	74.81	938.0	7.83	792.1	6.61	236.3	1.97	
MST-201	TRACE WHITE	14.84	1.02	8.5128	0	0	78.21	78.21	868.6	7.25	350.5	2.92	70.9	0.59	
MST-203	TRACE BLACK	10.13	1.001	8.3543	0	0	83.28	83.28	899.6	7.51	396.5	3.31	66.0	0.55	
MST-204	YELLOW OCHRE	13.80	1.026	8.5629	0	0	79.30	79.3	884.4	7.38	379.8	3.17	70.8	0.59	
MST-206	RED OXIDE	18.54	1.04	8.6798	0	0	74.67	74.67	847.2	7.07	316.1	2.64	70.6	0.59	
MST-207	TRACE RED OXIDE	10.34	1.005	8.3877	0	0	83.44	83.44	901.1	7.52	387.2	3.23	62.5	0.52	
MST-209	TRACE BLUE	10.81	1.001	8.3543	0	0	82.50	82.5	892.8	7.45	384.5	3.21	67.0	0.56	
MST-215	TRACE YELLOW	11.68	1.003	8.371	0	0	81.09	81.09	885.8	7.39	388.5	3.24	72.5	0.61	
MST-219	VIOLET	13.68	1.016	8.4795	0	0	79.75	79.75	877.0	7.32	351.8	2.94	66.8	0.56	
MST-231	TINTING BLACK	11.24	1.01	8.4294	0	0	82.25	82.25	896.5	7.48	388.4	3.24	65.8	0.55	
MST-237	FLIP-FLOP CONTROLLER	16.20	1.026	8.5629	0	0	76.88	76.88	859.8	7.17	336.1	2.80	71.0	0.59	
MST-240	TRANS RED	13.87	1.012	8.4461	0	0	79.23	79.23	871.6	7.27	352.3	2.94	69.8	0.58	
MST-259	TRACE MAGENTA	10.06	1.001	8.3543	0	0	83.23	83.23	900.3	7.51	402.5	3.36	67.2	0.56	
MST-272	BLUE	13.42	1.009	8.421	0	0	79.42	79.42	873.6	7.29	363.7	3.03	72.2	0.60	
MST-278	TRANS YELLOW	11.85	1.012	8.4461	0	0	82.02	82.02	892.1	7.44	365.0	3.05	62.0	0.52	
PLT-779	WHITE PEARL ULTRAFINE	19.80	1.056	8.8133	0	0	72.41	72.41	846.9	7.07	349.5	2.92	82.3	0.69	
PLT-780	WHITE PEARL	22.76	1.073	8.9552	0	0	69.21	69.21	828.8	6.92	334.8	2.79	86.2	0.72	
PLT-781	WHITE PEARL FINE	19.98	1.054	8.7966	0	0	72.02	72.02	843.4	7.04	350.0	2.92	84.3	0.70	
PLT-782	BLUE PEARL	18.69	1.045	8.7215	0	0	73.50	73.5	849.7	7.09	351.9	2.94	81.6	0.68	
PLT-783	BLUE PEARL FINE	20.31	1.058	8.83	0	0	71.93	71.93	843.1	7.04	343.5	2.87	82.1	0.69	
PLT-784	GOLD PEARL	20.10	1.055	8.805	0	0	71.94	71.94	842.9	7.03	348.4	2.91	84.0	0.70	
PLT-785	COPPER PEARL	19.69	1.06	8.8467	0	0	72.65	72.646	851.3	7.10	353.3	2.95	81.2	0.68	
PLT-786	RED PEARL	18.36	1.047	8.7382	0	0	73.89	73.89	854.8	7.13	358.4	2.99	81.1	0.68	
PLT-787	RED PEARL FINE	20.24	1.06	8.8467	0	0	71.71	71.71	845.5	7.05	355.7	2.97	85.3	0.71	
PLT-788	RUSSET PEARL	20.78	1.062	8.8634	0	0	71.50	71.5	841.3	7.02	340.7	2.84	82.0	0.68	
PLT-790	VIOLET PEARL	18.43	1.046	8.7298	0	0	73.86	73.86	853.2	7.12	354.6	2.96	80.6	0.67	
PLT-791	GREEN PEARL	20.91	1.067	8.9051	0	0	71.33	71.33	843.9	7.04	346.6	2.89	82.8	0.69	
PLT-792	H20 ULTRAFINE WHITE	12.62	1.031	8.6046	0	0	82.51	82.51	900.9	7.52	336.3	2.81	50.2	0.42	
PLT-793	H20 GRAPHITE	19.00	1.05	8.7632	0	0	73.43	73.43	850.5	7.10	347.1	2.90	79.5	0.66	
PLT-794	H20 GOLD	16.02	1.024	8.5462	0	0	75.63	75.63	860.0	7.18	379.1	3.16	85.5	0.71	
PLT-795	H20 ORANGE ALUMINIUM	15.26	1.02	8.5128	0	0	75.35	75.35	864.3	7.21	413.9	3.45	95.8	0.80	
PLT-796	H20 SUPER ORANGE PEARL	16.89	1.039	8.6714	0	0	76.30	76.3	863.5	7.21	341.4	2.85	70.8	0.59	
VST-601	SUPER WHITE	39.42	1.205	10.057	0	0	53.80	53.8	730.0	6.09	232.3	1.94	81.7	0.68	
VST-610	AMBER	31.33	1.065	8.8884	0	0	61.32	61.32	731.3	6.10	225.6	1.88	78.3	0.65	
VST-620	MAGENTA	15.75	1.019	8.5045	0	0	77.91	77.91	858.5	7.16	313.5	2.62	64.6	0.54	
VST-630	SUPER YELLOW	36.21	1.17	9.7647	0	0	55.84	55.84	746.3	6.23	268.3	2.24	93.0	0.78	
VST-645	SUPER RED	31.07	1.06	8.8467	0	0	61.27	61.27	730.7	6.10	231.6	1.93	81.2	0.68	
VST-670	SCARLET RED	13.40	1.006	8.396	0	0	80.31	80.31	871.2	7.27	329.4	2.75	63.3	0.53	
VST-679	YELLOW SHADE GOLD	14.63	1.016	8.4795	0	0	78.45	78.45	867.4	7.24	346.4	2.89	70.3	0.59	
WBB-6000	ADJUSTER	28.00	1.034	8.6297	0	0	65.46	65.46	744.5	6.21	209.3	1.75	67.6	0.56	
WBB-6001	PEARL BINDER	10.33	0.999	8.3376	0	0	83.04	83.04	895.8	7.47	388.6	3.24	66.2	0.55	
WBB-6002	ALUMINIUM CONTROLLER	10.20	1	8.3459	0	0	82.64	82.642	898.0	7.49	412.4	3.44	71.6	0.60	
XCT-101	CRYSTAL SILVER	24.74	1.095	9.1388	0	0	67.25	67.25	824.1	6.88	332.7	2.78	87.7	0.73	
XCT-102	SUNBEAM GOLD	25.64	1.105	9.2222	0	0	66.50	66.5	821.7	6.86	327.5	2.73	86.9	0.72	
XCT-103	RADIANT RED	24.80	1.098	9.1638	0	0	66.99	66.99	825.7	6.89	340.9	2.84	90.1	0.75	
XCT-104	GALAXY BLUE	23.78	1.091	9.1054	0	0	68.39	68.39	831.6	6.94	336.5	2.81	85.4	0.71	
XCT-105	STELLAR GREEN	17.50	1.041	8.6881	0	0	74.87	74.87	858.8	7.17	360.1	3.00	79.4	0.66	
XCT-106	SOLARIS RED	17.34	1.04	8.6798	0	0	75.03	75.0296	859.7	7.17	361.2	3.01	79.4	0.66	
XCT-107	FIRESIDE COPPER	17.06	1.039	8.6714	0	0	75.29	75.29	861.7	7.19	365.0	3.05	79.5	0.66	
WBC-452		13.06	1.013	8.4544	0	0	79.59	79.592	880.7	7.35	384.3	3.21	74.5	0.62	
MSDS No.40 Outrageous product range															
R6027	Marbilizer	19.10	1.041	8.6881	0	0	73.4	73.4	842.2	7.03	331.0	2.76	78.1	0.65	
CFI-000		18.66	0.937	7.8201	0	0	0	0	762.2	6.36	762.2	6.36	762.2	6.36	
CFI-060		19.05	0.94	7.8452	0	0	0	0	760.9	6.35	760.9	6.35	760.9	6.35	
CFI-080		18.60	0.936	7.8118	0	0	0	0	762.0	6.36	762.0	6.36	762.0	6.36	
CFI-190		18.92	0.939	7.8368	0	0	0	0	761.3	6.35	761.3	6.35	761.3	6.35	
CFI-230		18.90	0.939	7.8368	0	0	0	0	761.6	6.35	761.6	6.35	761.6	6.35	
CFI-280		18.79	0.938	7.8285	0	0	0	0	761.7	6.36	761.7	6.36	761.7	6.36	
CFI-301		18.92	0.939	7.8368	0	0	0	0	761.3	6.35	761.3	6.35	761.3	6.35	
CFI-334		18.66	0.937	7.8201	0	0	0	0	762.2	6.36	762.2	6.36	762.2	6.36	
SF-1	Spectraflash Silver	19.08	0.947	7.9036	0	0	0	0	766.3	6.39	766.3	6.39	766.3	6.39	
SF-L	Spectraflash Lite	16.50	0.931	7.7701	0	0	0	0	777.4	6.49	777.4	6.49	777.4	6.49	
S5991	Silk	23.37	0.961	8.0204	0	0	0	0	736.4	6.14	736.4	6.14	736.4	6.14	
S5995	Silk	23.45	0.969	8.0872	0	0	0	0	741.7	6.19	741.7	6.19	741.7	6.19	
S5996	Silk	22.26	0.963	8.0371	0	0	0	0	748.7	6.25	748.7	6.25	748.7	6.25	
S5999	Silk	22.26	0.967	8.0705	0	0	0	0	751.8	6.27	751.8	6.27	751.8	6.27	
SW-6060	Shockwave Daytona Beach	30.01	1.042	8.6965	0	0	0	0	729.3	6.09	729.3	6.09	729.3	6.09	
SW-6061	Shockwave Bondi Beach	30.08	1.043	8.7048	0	0	0	0	729.3	6.09	729.3	6.09	729.3	6.09	
SW-6062	Shockwave Key West	30.10	1.044	8.7131	0	0	0	0	729.8	6.09	729.8	6.09	729.8	6.09	
SW-6063	Shockwave Tobago Bay	29.99	1.042	8.6965	0	0	0	0	729.5	6.09	729.5	6.09	729.5	6.09	
SW-6064	Shockwave Thunderstorm	29.88	1.038	8.6631	0	0	0	0	727.8	6.07	727.8	6.07	727.8	6.07	
SW-6065	Shockwave Miami Pink	34.16	1.087	9.072	0	0	0	0	715.7	5.97	715.7	5.97	715.7	5.97	
SW-6066	Shockwave Purple Surf	28.01	1.021	8.5212	0	0	0	0	735.0	6.13	735.0	6.13	735.0	6.13	
SF-6070	Spectraflash Silver	22.07	0.934	7.7951	0	0	0	0	727.9	6.07	727.9	6.07	727.9	6.07	
R6005	Chrome	2.37	0.917	7.6532	0	0	0	0	895.2	7.47	895.2	7.47	895.2	7.47	
R6050	Fluorescent Pink	53.53	1.023	8.5379	0	0	0	0	475.4	3.97	475.4	3.97	475.4	3.97	

Pro-Spray Automotive Finishes VOC Chart

All data contained in this chart represents package V.O.C. (Volatile Organic Compound content). Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "Total Organic Volatiles" entry represents total weight of volatiles (including exempt solvents) per unit volume (including exempt solvents). Water is not included in this calculation. The "Regulatory VOC Less Exempt" represents the weight of volatiles minus water and exempt solvents per unit volume minus water and exempt solvents. (Frequently this entry is referred to as VOC less water and exempts.) The "Actual VOC" entry represents the weight of the volatiles minus water and exempts per unit volume, which includes water and exempt solvents. (Frequently this entry is referred to as VOC, as calculated by Rule 117.1.) Regulating bodies may ask for one or several of these items. Make sure that you are generating the specific type of data requested. **This chart is revised periodically.** To obtain the most accurate values check for updates on a regular basis.

Code	Description	Formula % solids by weight (non-volatiles)	Density	Weight per gallon	% Exempt Solvent				% Total Exempts Total exempts, water, methyl acetate, acetone, PCBTF.	AP		LE		Actual	
					Acetone	PCBTF	Methyl Acetate	Water		Total (material) VOC, as packaged, everything included		Regulatory (coating) VOC, Weight of volatiles less water & exempt solvent per volume which excludes water and exempts		Actual VOC, weight of volatiles less water and exempts per volume which includes water & exempts	
										g/litre	lbs/gal	g/litre	lbs/gal	g/litre	lbs/gal
0.79	1.342	1													
R6052	Fluorescent Orange	53.89	1.024	8.5462	0	0	0	0	472.1	3.94	472.1	3.94	472.1	3.94	
R6053	Fluorescent Red Orange	53.89	1.024	8.5462	0	0	0	0	472.1	3.94	472.1	3.94	472.1	3.94	
R6054	Fluorescent Green	53.89	1.024	8.5462	0	0	0	0	472.1	3.94	472.1	3.94	472.1	3.94	
R6057	Fluorescent Yellow	53.89	1.024	8.5462	0	0	0	0	472.2	3.94	472.2	3.94	472.2	3.94	
DP-6016	White Pearl	22.38	0.959	8.0037	0	0	0	0	744.4	6.21	744.4	6.21	744.4	6.21	
DP-6017	Blue Pearl	22.38	0.959	8.0037	0	0	0	0	744.4	6.21	744.4	6.21	744.4	6.21	
DP-6018	Gold Pearl	22.38	0.961	8.0204	0	0	0	0	746.0	6.22	746.0	6.22	746.0	6.22	
DP-6019	Red Pearl	23.18	0.968	8.0789	0	0	0	0	743.7	6.21	743.7	6.21	743.7	6.21	
DP-6020	Green Pearl	23.88	0.974	8.1289	0	0	0	0	741.4	6.19	741.4	6.19	741.4	6.19	
DP-6035	Violet Pearl	22.76	0.964	8.0455	0	0	0	0	744.6	6.21	744.6	6.21	744.6	6.21	
DP-6023	Solid Gold	23.46	0.965	8.0538	0	0	0	0	738.6	6.16	738.6	6.16	738.6	6.16	
DP-6036	Solid Light Gold Pearl	24.88	0.985	8.2207	0	0	0	0	740.0	6.17	740.0	6.17	740.0	6.17	
DP-6033	Solid Red Pearl	22.71	0.964	8.0455	0	0	0	0	745.1	6.22	745.1	6.22	745.1	6.22	
DP-6034	Solid Copper Pearl	22.43	0.962	8.0288	0	0	0	0	746.2	6.23	746.2	6.23	746.2	6.23	
CD-7001	True Dye Yellow	15.75	0.906	7.5614	0	0	0	0	763.3	6.37	763.3	6.37	763.3	6.37	
CD-7002	True Dye Orange	13.95	0.867	7.2359	0	0	0	0	746.1	6.23	746.1	6.23	746.1	6.23	
CD-7003	True Dye Brown	15.25	0.883	7.3695	0	0	0	0	748.3	6.24	748.3	6.24	748.3	6.24	
CD-7004	True Dye Apple Red	16.75	0.874	7.2943	0	0	0	0	727.6	6.07	727.6	6.07	727.6	6.07	
CD-7005	True Dye Pink Red	15.75	0.916	7.6449	0	0	0	0	771.7	6.44	771.7	6.44	771.7	6.44	
CD-7006	True Dye Red Tone Blue	15.75	0.877	7.3194	0	0	0	0	738.9	6.17	738.9	6.17	738.9	6.17	
CD-7007	True Dye Green	15.75	0.878	7.3277	0	0	0	0	739.7	6.17	739.7	6.17	739.7	6.17	
CD-7009	True Dye Black	15.00	0.877	7.3194	0	0	0	0	745.5	6.22	745.5	6.22	745.5	6.22	
GC-6039	Groundcoat Fine Aluminium	23.95	0.958	7.9954	0	0	0	0	728.6	6.08	728.6	6.08	728.6	6.08	
GC-6040	Groundcoat Sparkling Aluminium	25.30	0.968	8.0789	0	0	0	0	723.1	6.03	723.1	6.03	723.1	6.03	
GC-6010	Groundcoat White	49.39	1.197	9.9901	0	0	0	0	605.8	5.05	605.8	5.05	605.8	5.05	
GC-6011	Groundcoat Jet Black	26.86	0.971	8.1039	0	0	0	0	710.2	5.93	710.2	5.93	710.2	5.93	
GC-6012	Groundcoat Deep Blue	30.40	0.99	8.2625	0	0	0	0	689.1	5.75	689.1	5.75	689.1	5.75	
GC-6013	Groundcoat Ultramarine Blue	26.32	0.985	8.2207	0	0	0	0	725.8	6.06	725.8	6.06	725.8	6.06	
GC-6014	Groundcoat Wine Red	31.70	0.999	8.3376	0	0	0	0	682.3	5.69	682.3	5.69	682.3	5.69	
GC-6041	Groundcoat Speed Red	32.11	0.99	8.2625	0	0	0	0	672.2	5.61	672.2	5.61	672.2	5.61	
GC-6043	Groundcoat Blood Red	34.35	1.005	8.3877	0	0	0	0	659.8	5.51	659.8	5.51	659.8	5.51	
GC-6044	Groundcoat Speed Yellow	39.28	1.117	9.3224	0	0	0	0	678.2	5.66	678.2	5.66	678.2	5.66	
GC-6045	Groundcoat Speed Green	37.25	1.083	9.0386	0	0	0	0	679.6	5.67	679.6	5.67	679.6	5.67	
GC-6046	Groundcoat Speed Blue	33.26	1.015	8.4711	0	0	0	0	677.4	5.65	677.4	5.65	677.4	5.65	
GC-6047	Groundcoat Dark Grey	24.85	0.964	8.0455	0	0	0	0	724.5	6.05	724.5	6.05	724.5	6.05	
GC-6048	Groundcoat Light Grey	40.06	1.12	9.3474	0	0	0	0	671.3	5.60	671.3	5.60	671.3	5.60	
GC-6038	Groundcoat Pink	39.36	1.103	9.2056	0	0	0	0	668.9	5.58	668.9	5.58	668.9	5.58	
GC-6037	Groundcoat Light Blue	35.89	1.066	8.8968	0	0	0	0	683.4	5.70	683.4	5.70	683.4	5.70	
GC-6042	Groundcoat Speed Orange	42.50	1.179	9.8398	0	0	0	0	677.9	5.66	677.9	5.66	677.9	5.66	
R6028-2	Basecoat Blender	7.80	0.887	7.4028	0	0	0	0	817.8	6.82	817.8	6.82	817.8	6.82	
MSDS No.30 Omi-Cron Clearcoats & Activators															
7300	Clearcoat	47.17	0.9443	7.8811	22.36	0	0	22.36	498.9	4.16	392.7	3.28	287.7	2.40	
European Clears															
CC-9000	HS Low VOC Compliant clearcoat	60.43	0.972	8.1122	0	0	0	0	384.6	3.21	384.6	3.21	384.6	3.21	
CA-910	HS Normal Activator	46.22	0.979	8.1707	0	0	0	0	526.5	4.39	526.5	4.39	526.5	4.39	
CA-911	HS Fast Activator	46.16	0.977	8.154	0	0	0	0	526.0	4.39	526.0	4.39	526.0	4.39	
ICC-8000	Acrylic MS Clearcoat	46.85	0.995	8.3042	0	0	0	0	528.8	4.41	528.8	4.41	528.8	4.41	
Omi-Cron Factory Mixed Colours															
55-350	2 Component Brilliant White	66.72	1.286	10.733	0	0	0	0	428.0	3.57	428.0	3.57	428.0	3.57	
55-351	2 Component Jet Black	51.51	1.005	8.3877	0	0	0	0	487.3	4.07	487.3	4.07	487.3	4.07	
55-352	2 Component Diamond White	65.24	1.244	10.382	0	0	0	0	432.4	3.61	432.4	3.61	432.4	3.61	
55-358	2 Component Frozen White	64.38	1.249	10.424	0	0	0	0	444.9	3.71	444.9	3.71	444.9	3.71	
58-450	Basecoat White	50.26	1.197	9.9901	0	0	0	0	595.4	4.97	595.4	4.97	595.4	4.97	
58-451	Basecoat Jet Black	28.21	0.971	8.1039	0	0	0	0	697.1	5.82	697.1	5.82	697.1	5.82	
58-452	Basecoat Super Jet Black	37.09	1	8.3459	0	0	0	0	629.1	5.25	629.1	5.25	629.1	5.25	
58-455	Basecoat Bright Silver	26.74	0.961	8.0204	0	0	0	0	704.0	5.87	704.0	5.87	704.0	5.87	
58-456	Basecoat Moondust Silver	26.74	0.961	8.0204	0	0	0	0	704.0	5.87	704.0	5.87	704.0	5.87	
58-458	Basecoat Star Silver 3	27.31	1.025	8.5546	0	0	0	0	745.1	6.22	745.1	6.22	745.1	6.22	
58-459	Basecoat Mercedes Brilliant Silver	26.69	1.019	8.5045	0	0	0	0	747.0	6.23	747.0	6.23	747.0	6.23	
58-STAR	Basecoat Star Silver	30.5	0.969	8.0872	0	0	0	0	673.5	5.62	673.5	5.62	673.5	5.62	