

### **1K Blending Solvent (Aerosol)** **AB-1005-12**

Technical Support: 1.800.526.6704

**Product Description** AB-1005-12™ Prospray 1K Aerosol Spot Blender is a premium aerosol that delivers seamless transitions and blends of clearcoats and single stage topcoats. Ideal for use on spot, panel and multi-panel repairs.

California and Canada compliant.

#### Technology

Prospray 1K Aerosols utilize a new aerosol technology to deliver spray gun-like results. The new nozzle/valve design, along with innovative propellant technology, produce high output, larger spray patterns and excellent atomization with constant pressure.

#### Typical Substrates

Sanded, clean and dry:    • **2K Clearcoats**                      • **2K Topcoats (Single Stage)**

#### Surface Preparation



No surface prep necessary. Use topcoat according to manufacturer directions. Apply Pro-Spray 1K Spot Blender directly into the wet clearcoat or single stage topcoat immediately after they are applied.

#### Mix Ratio

Ready to spray (RTS).  
Shake vigorously for 2 minutes.  
Spray to test.

#### Shelf Life @ 72°F / 22.2°C



60 months from manufacture date

#### Application



Apply several light spray passes to the edge of the blend-in area immediately after application of the 2K clearcoat or 2K topcoat to achieve a smooth transition.

**NOTE:** When finished, invert aerosol can and spray to clear valve.

#### Sanding



**NOTE:** Product dries to a matte finish and must be buffed.

# 1K Spot Blender (Aerosol)

AB-1005-12

## Physical Data

VOC 6.7 lbs/gal (766 g/l)  
Total Solids by Weight 4.8%

## Special Notes / Clean Up



**Clean Up** Completely emptied aerosols are suitable for standard solid waste disposal. Comply with all state, local and federal regulations regarding disposal of aerosols.

## Health and Safety



For professional use only. KEEP OUT OF REACH OF CHILDREN. WARNING! CONTENTS ARE FLAMMABLE. VAPOR AND SPRAY MIST IS HARMFUL. SKIN AND EYE IRRITANT.

Do not handle the Prospray products until the Material Safety Data Sheets have been read and understood in their entirety. Ensure that all employees are trained on Material Safety Data Sheets and all chemicals with which they come into contact. The manufacturer recommends the use of an air-supplied respirator when exposed to vapors or spray mist. Wear protective clothing, gloves and eye safety with a side shield.

This data sheet information is given in good faith but without warranty. The information contained herein represents the current state of our knowledge and is intended as a guide to our products and their uses; it is not intended for insurance of certain product properties or of their specific applications.

Follow all warnings on product labels.