

PRODUCT CATALOG



PRO SPRAY®

PASSION FOR PERFORMANCE.



PASSION FOR PERFECTION.

THE COMPLETE SYSTEM YOU CAN TRUST.

Prospray is a complete refinish system, offering all the products you need to achieve excellent results and succeed as a business. The range includes primers, toners, clear coats, activators and thinners.

Successful businesses choose Prospray

When you want to give customers the right result every time, you need a complete system you can trust. Backed by one of the world's largest coatings manufacturers, the Prospray system delivers quality products and streamlined processes, providing the performance that will help your business succeed.

A full system

A fully integrated system, Prospray provides all the products you need to achieve successful results. The range includes primers, toners, binders, clears, activators and reducers, as well as a range of colour tools to help achieve a great match.

Offering solutions for the future

Like you, we are driven to get things right and that means we continually invest in innovative new solutions that offer you even better performance.

When you choose Prospray, you are choosing a system with passion for perfection. Our clever solutions are designed for precision and efficiency, helping businesses succeed, not just today but in the future.

Precise colour matching

When you're working with colour, precision is vital. Prospray offers a powerful, easy-to-use set of tools that will help you match colour accurately.

Valspar Colour box

Our Valspar Colour Box helps you select an accurate colour match, first time and every time. Offering thousands of colours, expertly organised, it will enable you to find the right colour fast. All formulas are available on Prospray's Colour Retrieval System.

PASSION FOR COLOUR.

Colour retrieval system

Our Colour Retrieval System Pro-FIT gives users across your site access to thousands of formulations, which are updated weekly. Pro-FIT also features custom formulations, spectro connectivity and access to product technical and safety data sheets.

Fast reliable service you can rely on

However experienced you are, there are times when you need help. Maybe you can't find the perfect colour match. Or maybe you need advice on how best to use Prospray products. Whatever your query, our knowledgeable experts are at hand to help.

Help with colour matching

Having trouble matching exactly the right colour? Our online support is among the best in the industry. Simply fill in our online Colour Service Form (CSF) and our global colour specialists will send you the answer— wherever you are.

Consistent quality you can trust

Prospray products are manufactured at our state-of-the-art facilities, and are certified to the very latest quality and environmental standards. This results in the exceptional consistency you need to delight your customers.

Prospray is committed to your future and, with our passion for perfection, we guarantee full support in the years to come.



BINDERS

The Prospray® Intermix System can be mixed as a basecoat or single stage with choice of solids allowing you to vary the opacity and cost to suit your application.

The basecoat system offers excellent coverage and superior blending characteristics and uses a 1:1 mixing ratio with the option to be activated for increased durability.

The single stage system offers superior flow and gloss retention using one set of activators and thinners to provide you with a streamlined easy-to-use system.

Item Code	Product Name	Can Size
BCB-005	Basecoat Flip Control	3.75L
BCB-600	Basecoat Balancer	3.75L
BCB-825	Basecoat Flip Control H.S	3.75L
EBA-50	Engine Bay Adjuster	3.75L
EBB-20	Engine Bay Binder	3.75L
SCB-408	Single Layer Binder	3.75L
SCB-673	Single Layer Adjuster	3.75L
SCBC-574	Solid Colour Basecoat Converter	3.75L

ADDITIVES AND CLEANERS

Our range of additives complement our refinishing system to provide you with a range of application options. In addition, utilising our cleaners is a must for a quality result.

Item Code	Product Name	Can Size
A-380	Matting Agent	1L
A-497	2 Component Accelerator	500mL
A-706	Black Tint Concentrate	500mL
P-2020	Plasticising Additive	1L
R-6028	Basecoat Blender	1L
W820	Antistatic Degreaser	5L

TONERS

Prospray can be mixed as a basecoat using a normal, medium or high-solid level. The level is adjusted in Pro-FIT. The basecoat system offers excellent coverage and superior blending and uses a 1:1 mixing ratio with thinners or as an option, activate with activators.

Item Code	Product Name	Can Size
Aluminium Toners		
AB-810	H.S. Bright Medium Aluminium	3.75L
AB-814	H.S. Fine Aluminium	3.75L
AB-816	H.S. Medium Aluminium	3.75L
AB-818	H.S. Medium Coarse Aluminium	3.75L
AB-832	H.S. Very Coarse Aluminium	1L
AB-841	Shining Coarse Aluminium	3.75L
AB-842	Silver Dollar Coarse Aluminium	1L
AB-844	Fine Satin Aluminium	1L
HS Toners		
HB-500	H.S. Super White	3.75L
HB-511	H.S. Claret	1L
HB-512	H.S. Lagoon Blue	1L
HB-545	H.S. Strong Red	1L
HB-546	H.S. Black	3.75L
HB-551	H.S. Blue Green	1L
HB-552	H.S. Fast Blue	1L
HB-570	H.S. Brilliant Red	1L
MS Toners		
MB-201	Pale White	1L
MB-204	Yellow Oxide	1L
MB-206	Red Oxide	1L
MB-219	Violet	1L
MB-231	Blue Black	1L
MB-237	Tone controller	1L
MB-240	Transoxide Red	1L
MB-251	Fast Blue	1L
MB-272	Cyan Blue	1L
MB-273	Bronze Green	1L
MB-276	Brown	1L
MB-278	Transoxide Yellow	1L
MB-279	Strong Yellow	1L

Item Code	Product Name	Can Size
Pearl Toners		
PB-780	Pearl White	1L
PB-781	Fine Pearl White	1L
PB-782	Pearl Blue	1L
PB-783	Red Pearl	1L
PB-784	Pearl Gold	1L
PB-785	Copper Pearl	1L
PB-786	Pearl White Ultrafine	1L
PB-787	Pearl Red Fine	1L
PB-788	Russet Pearl Fine	1L
PB-789	Pearl Blue Fine	1L
PB-790	Pearl Violet Medium	1L
PB-791	Pearl Green Medium	1L
PB-792	H.S. Blue Frost	1L
PB-794	Gold Flash	1L
PB-795	Orange Aluminium	1L
VHS Toners		
VB-602	Bright Maroon	1L
VB-604	Pale Yellow	1L
VB-606	H.S. Orange Red	1L
VB-610	Medium Yellow	1L
VB-615	Ultra Jet Black	1L
VB-618	Yellow	1L
VB-620	H.S. Red Violet	1L
VB-624	H.S. Speed Red	1L
Xirallic Toners		
PSE-1001	Crystal Silver	500mL
PSE-1002	Sunbeam Gold	500mL
PSE-1003	Radiant Red	500mL
PSE-1004	Galaxy Blue	500mL
PSE-1005	Stellar Green	500mL

OPTIONAL TONERS

PSE-1010	Viola Fantasy	500mL
PSE-1011	Arctic Fire	500mL
PSE-1012	Tropic Sunrise	500mL
VB-607	Brilliant Orange	1L

PUTTY & PRIMERS

An excellent foundation for a durable, long lasting finish.



BPS-050
1K NC PUTTY

BPS-050 1K NC Putty is a single component fine textured knifing filler designed to fill minor surface flaws, scratch marks and pinholes. It provides excellent adhesion to suitably prepared primer/surfacers and OEM finishes. 1K NC Putty may be applied with a squeegee or spreader in 2-4 thin layers.

PROPERTIES

- Excellent adhesion.
- Very fast dry properties.
- Easy to apply and easy to sand.
- Can be used for spot and panel repair.

Size: 710mL/1kg
Activator: NA
Thinner: ICR-1293, ICR-1294, ICR-1295
Colour: Beige
Mix Ratio: 0-3% Thinner



A-614
2K EPOXY PRIMER

A-614 2K Epoxy Primer Grey is a multi-use high solids epoxy primer designed for both wet-on-wet and high fill applications. It has excellent adhesion and corrosion resistance properties in direct to metal applications.

PROPERTIES

- Very good chemical and corrosion resistance.
- Excellent adhesion on properly treated metal substrates.
- Recommended as the initial coat over bare metals.
- Very good opacity and filling properties. Suitable for use over rough substrates.
- High humidity resistance and good flexibility.
- Can be tinted with Prospray colour toners (up to max.10 % by weight).
- Formulated for use both as a high filling primer and for wet-on-wet application.

Size: 4L
Activator: A-616 Epoxy Activator
Thinner: ICR-1293, ICR-1294, ICR-1295
Colour: Grey
Mix Ratio: Sanding 4:1+35-40%, Non-Sanding 4:1+55-60%



A-400, A-402, A-404
2K EASY SAND HIFILL SURFACER

2K Easy Sand HiFill Surfacers (A-400 /A-402 /A-404) is a two-component polyurethane high build primer surfacer for general automotive refinishing. Designed for application to various substrates, it provides excellent application, filling and sanding properties.

PROPERTIES

- Easy to apply, smooth flow, minimal sanding required.
- Very easy to sand, can be sanded after 3 hrs.
- Excellent filling properties.
- Can be used for spot, panel and overall repair.
- Available in grey shades.
- Can be top coated with Prospray's basecoat system.

Size: 1L
Activator: A-414 Surfacers Activator
Thinner: ICR-1293, ICR-1294, ICR-1295
Colour: A-400 Grey, A-402 White, A-404 Black
Mix Ratio: 4:1+35-45%



A-534
1K PLASTIC PRIMER

A-534 1K Plastic Primer is a single component transparent plastic primer designed to provide excellent adhesion to a wide variety of un-coated external automotive plastic components.

PROPERTIES

- Provides excellent adhesion on exterior plastic car parts.

Size: 1L
Activator: NA
Thinner: NA
Colour: Transparent
Mix Ratio: Ready For Use



A-514
2K ETCH PRIMER

A-514 2K Etch Primer is free from chromate and offers excellent etching anti corrosion properties to multiple metal substrates, including aluminium, galvanized steel and steel.

PROPERTIES

- Excellent anti corrosion properties.

Size: 1L
Activator: A-516
Thinner: NA
Colour: Grey
Mix Ratio: 1:1

CLEAR COATS

A full range of premium, easy-to-use clear coats for exceptional performance, durability and gloss retention.



PSC-3500
H.S. CLEAR

PSC-3500 H.S. Clear is a two-component high solids polyurethane clear coat, providing excellent application and flow for an outstanding mirror-like, high gloss finish. It is a versatile clear coat designed for spot through to full panel repairs. It provides excellent UV protection as well as scratch and chemical resistance.

PROPERTIES

- Easy application with excellent build.
- Provides perfect flow with outstanding appearance.
- Provides excellent glossiness with high build.
- Good flow and levelling characteristics.
- Excellent weathering resistance.
- Easy to polish.
- Excellent scratch, mar and chemical resistance.
- Can be used for overall or spot / panel repair.
- Normal and express dry activator options.

Size: 1L
Activator: ICA-301 H.S. Activator Normal, ICA-302 H.S. Activator Express
Thinner: ICR-1293, ICR-1294, ICR-1295
Mix Ratio: 2:1+5-10%



PSC-2500
M.S. CLEAR

PSC-2500 M.S. Clear is a two-component medium solids polyurethane clear coat, designed for all general panel repairs. It provides a full gloss finish that is easy to apply and polish, with excellent scratch, weathering and chemical resistance.

PROPERTIES

- Combines very easy application with good hold up.
- High gloss finish with excellent depth of image.
- Medium drying properties.
- Excellent weathering resistance.
- Easy to polish.
- Excellent scratch, mar and chemical resistance.
- Can be used for spot, panel and overall repair.
- Normal and express dry activator options.

Size: 1L
Activator: ICA-201 M.S. Activator Normal, ICA-202 M.S. Activator Express
Thinner: ICR-1293, ICR-1294, ICR-1295
Mix Ratio: 2:1+0-5%



PSC-5500
M.S. SPEED CLEAR

PSC-5500 M.S. Speed Clear is a two-component rapid drying polyurethane clear coat, based on a fast-dry-resin technology. Designed for spot and panel repairs in the car refinish market, it provides a high gloss finish with excellent scratch, weathering and chemical resistance.

PROPERTIES

- Combines easy application with little sagging risks.
- Provides good appearance with mirror-like high gloss finish.
- Very fast drying, touch dry immediately after baking at 60°C for 30 min.
- Excellent weathering resistance.
- Easy to polish.
- Excellent scratch, mar, and chemical resistance.
- Can be used for spot / panel repair.

Size: 1L
Activator: ICA-552 Speed Clear Activator
Thinner: ICR-1293, ICR-1294, ICR-1295
Mix Ratio: 2:1+0-5%



ACTIVATORS

A range of activators in different sizes to meet the needs of most body shops.

Item Code	Product Name	Can Size
A-414	Surfacer Activator	250mL
A-516	Etch Primer Activator	1L
A-616	Epoxy Activator	1L
ICA-201	2K M.S. Activator Normal	500mL
ICA-202	2K M.S. Activator Express	500mL
ICA-301	2K H.S. Activator Normal	500mL
ICA-302	2K H.S. Activator Express	500mL
ICA-552	Speed Clear Activator	500mL
ICA-660	Normal Activator	2.5L
ICA-690	Express Activator	1L, 2.5L
ICA-800	M.S. Slow Activator	1L, 2.5L
ICA-801	M.S. Normal Activator	500mL, 1L, 2.5L
ICA-802	M.S. Express Activator	500mL, 1L, 2.5L
ICA-803	M.S. Rapid Activator	1L



THINNERS

A selection of thinners that can be used for a wide range of applications.

Item Code	Product Name	Can Size
A-116	Medium Basecoat Thinner	1L, 5L
A-118	2K Universal Medium Thinner	1L, 5L
A-119	2K Universal Fast Thinner	1L, 5L
ICR-1401	Fade Out Thinner	1L, 5L
ICR-1692	2K H.S. Fast Thinner	1L, 5L
ICR-1693	2K H.S. Medium Thinner	1L, 5L
ICR-1694	2K H.S. Slow Thinner	1L, 5L
ICR-1293	2K Medium Thinner	4L
ICR-1294	2K Slow Thinner	4L
ICR-1295	2K Extra Slow Thinner	4L



PASSION FOR
PERFORMANCE.

PASSION FOR PRECISION.

SPECTROPHOTOMETER

Item Code	Description
66-365	Spectrophotometer

The Spectrophotometer is a quick and precise tool for an exact colour match. The tool measures a colour and links it to an extensive database. This time-saving colour tool has different languages and is easy to calibrate. Prospray's colour experts conduct ongoing research and add information to the database every day. Weekly updates ensure that the latest information is always at your fingertips.



NEW SOFTWARE

Comes with all-new software, which can use a number of precision algorithms to find the best colour match: Search and Correct and Search and Interpolate. A comprehensive update brings improved efficiency and increased functionality, also note that new algorithms have been added specifically for effect colour corrections.



FIVE ANGLES

Takes measurements from five angles. The five angle readings improve the accuracy and efficiency of the colour matching algorithms – meaning users will get a closer match, faster. The additional angles also future-proof the spectrophotometer, as we update our database to five angle readings.



LENS COVER

Following customer requests, an in-built lens cover has been designed to prevent damage or dust when the unit is not in use.



TOUCH SCREEN AND STYLUS

Working with the new unit is now far more intuitive thanks to the inclusion of a touch screen and stylus, like those available on leading smartphones.




WIRELESS

The updated model offers a WiFi connection, improving convenience and connectivity.



RECHARGEABLE BATTERIES

Crucially, the new spectrophotometer uses rechargeable lithium-ion batteries, ensuring that it is always ready to go.



COLOR INFORMATION MAPS

Item Code	Description
64-18015	Solid Colors
64-18016	Basecoat Colors



COLOUR BOX

Item Code	Description
60980xx	Valspar Color Box Over 7000 colour samples incl. both standard and variant shades (updated, xx refers to version number)
61-8xx	Valspar Color Box Update (xx refers to version number)





PROSPRAYFINISHES.COM

Prospray®
A Valspar Automotive Brand

Prospray® is a brand of Valspar
Automotive, one of the world's leading
manufacturers of coatings.

The Valspar (Malaysia) Corporation Sdn Bhd
Lot 756, Jalan Haji Sirat, Off Jalan Kapar
Klang Selangor 42100
Malaysia
Ph: +60 3 3396 2100

Valspar b.v.
Zuiveringweg 89
8243 PE Lelystad
The Netherlands
Ph: +31(0)320-292200

Product range may vary by geographic region, refer to website for details.

V2.0521